

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: OREGON

PARTY: RA, MM

DATE: 08-01-2025

COMMENTS:

HISTORY:

- MONUMENT FOUND BY HJC/VHJ/DPS IN 2001
- MONUMENT FOUND BY DPS/JL ON 3-17-16
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221460.394 280657.77

EASTING: 3090315.000 833442.27

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL *NOT* BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.56"N

LONGITUDE: 86°34'56.37"W



SEC.31-T34N-R1W

**DAVIS TOWNSHIP
SECTION 36**

**OREGON TOWNSHIP
SECTION 31**



NORTH

C.R. 600 EAST

C.R. 300 NORTH

TOP OF Tf.Ped.



TOP OF Tf.Ped.

40.50'

42.70'

41.10'

47.60'

52.90'

MAG NAIL
NORTH FACE
REMC Pw.P. 40226

DOG TAG
NORTH FACE
REMC Pw.P. 42051

DOG TAG
NORTH FACE
NIPSCO Pw.P.
782/200

**SECTION 01
CENTER TOWNSHIP**

**SECTION 06
WASHINGTON TOWNSHIP**



Z1

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: OREGON

PARTY: RA, MM

DATE: 08-01-2025

COMMENTS:

HISTORY: RLP, OF THE STARKE COUNTY SURVEYOR'S OFFICE, SET A RR SPIKE ON JULY 7, 1983.

- 1/2" IRON PIPE FOUND BY VHJ/GR ON 3-16-05. (WASHINGTON TWP.)
- MONUMENT FOUND BY JPR, CORP. 0.67' BELOW GRADE IN 2025
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2221521.390

280677.77

EASTING: 3100981.183


844109.03

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.527"N

LONGITUDE: 86°32'36.526"W



SEC.32-T34N-R11W

**OREGON TOWNSHIP
SECTION 32**

**OREGON TOWNSHIP
SECTION 33**

C.R. 300 NORTH

C.R. 800 EAST



5/8" REBAR -0.67'
BELOW GRADE

1/2" IRON PIPE -0.3'
BELOW GRADE
(WASHINGTON TWP. CORNER)

STOP SIGN

REBAR & CAP
(HWC ENG)(FLUSH)
CMP

DITCH

C.R. 800 EAST

1/2" IRON PIPE
FLUSH
IN LINE WITH E/W
OVERHEAD LINE

PK NAIL
NORTH FACE
PwP #40379

DITCH

**SECTION 05
WASHINGTON TOWNSHIP**

**SECTION 04
WASHINGTON TOWNSHIP**



Z9

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: OREGON

PARTY: RA, MM

DATE: 08-01-2025

COMMENTS:

HISTORY: A RR SPIKE 2" BELOW GRADE WAS FOUND BY VHJ/GR ON 3-16-05.

- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2221547.995

280684.03

EASTING: 3106274.132


849402.25

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.46"N

LONGITUDE: 86°31'27.13"W



SEC.34-T34N-R13W

**OREGON TOWNSHIP
SECTION 33**

**OREGON TOWNSHIP
SECTION 34**



STATE HWY CI BOX
W/ 3/8" IRON ROD
(2" BELOW PAVEMENT)
(WASHINGTON TWP)

PK NAIL
EAST FACE
PwP #40417

3/8" REBAR W/
CONTROL CAP

C.R. 300 NORTH

STATE ROAD 23

**SECTION 04
WASHINGTON TOWNSHIP**

**SECTION 03
WASHINGTON TOWNSHIP**

MAG NAIL
EAST FACE
PwP #40836

3/8" REBAR W/
CONTROL CAP



STATE ROAD 23

Z13

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: OREGON

PARTY: RA, MM

DATE: 08-1-2025

COMMENTS:

HISTORY:

- A RR SPIKE WAS FOUND BY VHJ/GR ON 3-17-05.
- MONUMENT FOUND BY JPR, CORP. IN 2025 0.2' BELOW GRADE.
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2221579.637

280685.16

EASTING: 3114214.032


857342.50

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.252"N

LONGITUDE: 86°29'43.032"W



SEC.35-T34N-R1W

**OREGON TOWNSHIP
SECTION 35**

**OREGON TOWNSHIP
SECTION 35**



GRAVEL DRIVE

C.R. 300 NORTH

RR SPIKE
WASHINGTON
TWP. MONUMENT

CENTER
1½" IRON PIPE
W/ 6" PROJECTION

RTP

NORTHWEST CORNER
BLOCK FOUNDATION
1-STORY DWELLING

**SECTION 02
WASHINGTON TOWNSHIP**

**SECTION 02
WASHINGTON TOWNSHIP**



Z19

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: OREGON

PARTY: RA, MM

DATE: 08-01-2025

COMMENTS:

HISTORY:

- .25' BELOW GRADE
- VHJ/BK OF TERRITORIAL ENGINEERING FOUND A RAIL BOLT 1" BELOW GRADE ON 5/12/1982. THE OLD REFERENCE CALLED FOR A 20"Ø STONE
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025. RAIL BOLT WAS SET CENTERED AND ABOVE A 2" IRON PIPE. 2" IRON PIPE WAS FOUND NEXT TO A 12"Ø STONE, NOT THE 20" STONE OF RECORD. NO MARKINGS WERE FOUND ON THE 12"Ø STONE.
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2237429.706

296536.27

EASTING: 3114060.435


857249.85

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°23'21.858"N

LONGITUDE: 86°29'43.636"W



SEC.14-T34N-R1W

**OREGON TOWNSHIP
SECTION 14**

**OREGON TOWNSHIP
SECTION 14**



SE CORNER
1-STORY
DWELLING

SW CORNER
FACEBRICK
1-STORY
DWELLING

C.R. 600 NORTH

MAG NAIL
NORTH FACE
PwP #781/765
W/ TRANS.

MAG NAIL
NORTH FACE
PwP #781/766
W/ TRANS.

**SECTION 23
OREGON TOWNSHIP**

**SECTION 23
OREGON TOWNSHIP**



N19