

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** 1/2" IRON PIPE

**TOWNSHIP:** OREGON

**PARTY:** RB, MM

**DATE:** 04-28-2025

**COMMENTS:**

- DLA SET 3/4" REBAR IN JUNE/JULY, 1990.
- FOUND 1/2" IRON PIPE, FLUSH WITH GRADE BY VHJ/JR IN 3-16-05.
- MONUMENT FOUND FLUSH BY JPR, CORP. IN 2025.

**STATE PLANE COORDINATES**

**DATUM:** NAD83

**ZONE:** INDIANA WEST 1302

InGCS Starke

**NORTHING:** 2221478.35

280665.27


**EASTING:** 3093035.37

836162.80

NOTE:  
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

**LATITUDE:** 41°20'45.58"N


**LONGITUDE:** 86°34'20.70"W



**SEC.31-T34N-R1W**

OREGON TOWNSHIP  
SECTION 31

OREGON TOWNSHIP  
SECTION 31




**SECTION 06**  
WASHINGTON TOWNSHIP


**SECTION 06**  
WASHINGTON TOWNSHIP



**Z3**

# STARKE COUNTY SECTION CORNER RECORD

<b>MONUMENT:</b> 5/8" IRON ROD FLUSH <b>TOWNSHIP:</b> OREGON <b>PARTY:</b> RB, MM <b>DATE:</b> 04-28-2025 <b>COMMENTS:</b> <ul style="list-style-type: none"> <li>A 5/8" IRON ROD WAS SET BY VHJ/COD AT RECORDED DISTANCE OF 36 LINKS (23.76') FOR OREGON TOWNSHIP ON 6-21-2005.</li> <li>MONUMENT FOUND BY JPR, CORP. IN 2025.</li> </ul>	<b>STATE PLANE COORDINATES</b> <b>DATUM:</b> NAD83 <b>ZONE:</b> INDIANA WEST 1302 InGCS Starke <b>NORTHING:</b> 2221501.03 280677.87 <b>EASTING:</b> 3095659.28 838786.88 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small> <b>LATTITUDE:</b> 41°20'45.65"N <b>LONGITUDE:</b> 86°33'46.30"W	
		<b>SEC.32-T34N-R1W</b>



File: J:\Projects\2025 Projects\2025-01494 Section Corner Replacement - Starke County\Survey\Oregon Township\Z5.dwg Saved By: vberra Plotted: 2025-08-19 10:38 AM

**SECTION 06**  
WASHINGTON TOWNSHIP



Z5

# STARKE COUNTY SECTION CORNER RECORD


**MONUMENT:** 1" IRON ROD FLUSH  
**TOWNSHIP:** OREGON  
**PARTY:** RB, MM  
**DATE:** 04-28-2025  
**COMMENTS:**  
 HISTORY: VHJ OF TERRITORIAL ENGR FOUND A 5/8" REROD ON JANUARY 17, 1986.  
 • MONUMENT FOUND BY VHJ/JR ON 3-16-05.  
 • MONUMENT FOUND BY JPR, CORP. IN 2025 0.2' BELOW GRADE.

**STATE PLANE COORDINATES**

**DATUM:** NAD83  
**ZONE:** INDIANA WEST 1302 InGCS Starke  
**NORTHING:** 2221510.065 280676.74  
**EASTING:** 3098302.378 841430.10

NOTE:  
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


**LATITUDE:** 41°20'45.578"N  
**LONGITUDE:** 86°33'11.647"W



**SEC.32-T34N-R1W**

**OREGON TOWNSHIP  
 SECTION 32**

**OREGON TOWNSHIP  
 SECTION 32**



**C.R. 300 NORTH**

**SECTION 05  
 WASHINGTON TOWNSHIP**

**SECTION 05  
 WASHINGTON TOWNSHIP**



**Z7**


File: J:\Projects\2025 Projects\2025-01494 Section Corner Replacement - Starke County\Survey\Oregon Township\Z7.dwg Saved By: vberra Plotted: 2025-08-19 10:48 AM

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** HARRISON MONUMENT  
**TOWNSHIP:** OREGON  
**PARTY:** RB, MM  
**DATE:** 04-28-2025

**STATE PLANE COORDINATES**

**DATUM:** NAD83  
**ZONE:** INDIANA WEST 1302 InGCS Starke  
**NORTHING:** 2221561.55 280687.45  
**EASTING:** 3108911.52 852039.77



**COMMENTS:**  
 HISTORY:  
 • FOUND STATE HWY CL BOX W 1/2" IRON ROD 2" B.G. VHJ/GR LOOKED FOR WASHINGTON TOWNSHIP MONUMENT PREVIOUSLY 23.45' TO THE WEST. FOUND NOTHING. POSSIBLY LOST DUE RECONSTRUCTION. DATE: 3-16-05  
 • HARRISON MONUMENT FOUND BY JPR, CORP. IN 2025.

*NOTE:*  
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

**LATITUDE:** 41°20'45.42"N  
**LONGITUDE:** 86°30'52.55"W

**SEC.34 T34N-R1W**


OREGON TOWNSHIP  
 SECTION 34

OREGON TOWNSHIP  
 SECTION 34




C.R. 950 EAST

STATE ROAD 23



MONUMENT NOT FOUND (WASHINGTON TWP.)



SECTION 03  
 WASHINGTON TOWNSHIP

SECTION 03  
 WASHINGTON TOWNSHIP



**Z15**

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** HARRISON MONUMENT

**TOWNSHIP:** OREGON

**PARTY:** RB, MM

**DATE:** 04-28-2025

**COMMENTS:**

HISTORY: SET HARRISON MONUMENT IN 2006.

- RLP, OF THE STARKE CO. SURVEYOR'S OFFICE FOUND IRON MONUMENT (AN OLD FENCE POST) 10" BELOW GRADE ON JULY 14,1983.
- HARRISON MONUMENT FOUND BY JPR, CORP. WITH NO TOP IN 2025.

**STATE PLANE COORDINATES**

**DATUM:** NAD83

**ZONE:** INDIANA WEST 1302 InGCS Starke


**NORTHING:** 2221566.371 280687.25

**EASTING:** 3110216.959 853345.26

*NOTE:  
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.*

**LATITUDE:** 41°20'45.385"N


**LONGITUDE:** 86°30'35.436"W



**SEC.34-T34N-R1W**

OREGON TOWNSHIP  
SECTION 34

OREGON TOWNSHIP  
SECTION 34



SECTION 03  
WASHINGTON TOWNSHIP

SECTION 03  
WASHINGTON TOWNSHIP



Z16

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** RAIL BOLT

**TOWNSHIP:** OREGON

**PARTY:** RB, MM

**DATE:** 04-28-2025

**COMMENTS:**

**HISTORY:**

- SJF OF TERRITORIAL ENGR SET RR BOLT ON SEPTEMBER 19, 1985.
- A TRACT BOLT 1/2" BELOW GRADE WAS FOUND BY VHJ/GR ON 3-17-05.
- MONUMENT FOUND 1/2" BELOW GRADE BY JPR, CORP. IN 2025.

**STATE PLANE COORDINATES**

**DATUM:** NAD83

**ZONE:** INDIANA WEST 1302 InGCS Starke


**NORTHING:** 2221572.26 280687.88

**EASTING:** 3111584.57 854712.94

*NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.*

**LATITUDE:** 41°20'45.35"N

**LONGITUDE:** 86°30'17.51"W



**SEC.34-T34N-R1W**

**OREGON TOWNSHIP  
SECTION 34**

**OREGON TOWNSHIP  
SECTION 35**



**STATE ROAD 23**

**STATE ROAD 23**

**C.R. 300 NORTH**

HARRISON MONUMENT  
(WASHINGTON TWP. CORNER)

3/8" REBAR W/  
CONTROL CAP

PK NAIL  
NORTHEAST FACE  
PwP #40457

MAG NAIL  
EAST FACE  
RTP

CORNER  
BLOCK  
FOUNDATION  
1-STORY  
DWELLING

ROCK

**SECTION 03  
WASHINGTON TOWNSHIP**

**SECTION 02  
WASHINGTON TOWNSHIP**



**Z17**

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** 1/2" IRON PIPE

**TOWNSHIP:** OREGON

**PARTY:** RB, MM

**DATE:** 04-28-2025

**COMMENTS:**

HISTORY: FOUND 1/2" IRON PIPE BY VHJ/GR ON 3-17-05.

- A 1/2" IRON PIPE WAS FOUND 0.1' BELOW GRADE BY JPR, CORP. IN 2025.



**STATE PLANE COORDINATES**

**DATUM:** NAD83

**ZONE:** INDIANA WEST 1302 InGCS Starke


**NORTHING:** 2221576.203 280686.91

**EASTING:** 3112865.313 855993.73

NOTE:  
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

**LATITUDE:** 41°20'45.308"N

**LONGITUDE:** 86°30'00.714"W



**SEC.35-T34N-R1W**

OREGON TOWNSHIP  
SECTION 35

OREGON TOWNSHIP  
SECTION 35



3/8" REBAR W/  
CONTROL CAP

C.R. 300 NORTH

PK NAIL  
N FACE OF POST

MAG NAIL  
NORTHEAST FACE  
PwP #40464

C.R. 1025 EAST

SECTION 02  
WASHINGTON TOWNSHIP

SECTION 02  
WASHINGTON TOWNSHIP

**Z18**

File: J:\Projects\2025 Projects\2025-01494 Section Corner Replacement - Starke County\Survey\Oregon Township\Z18.dwg Saved By: vbera Plotted: 2025-08-19 11:23 AM

# STARKE COUNTY SECTION CORNER RECORD

**MONUMENT:** 5/8" IRON ROD  
**TOWNSHIP:** OREGON  
**PARTY:** RB, MM  
**DATE:** 04-28-2025  
**COMMENTS:**  
 HISTORY: FOUND RR SPIKE FLUSH BY  
 VHJ/GR AND REPLACED WITH 5/8"  
 REROD ON 3-17-05.

- MONUMENT FOUND BY JPR, CORP.  
 IN 2025 0.2' BELOW GRADE.




**STATE PLANE COORDINATES**


**DATUM:** NAD83  
**ZONE:** INDIANA WEST 1302 InGCS Starke  
**NORTHING:** 2221567.58 280662.84  
**EASTING:** 3116882.28 860010.78

NOTE:  
 COORDINATES BASED ON INCORS NETWORK FOR  
 GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT  
 BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE  
 COUNTY DOES NOT WARRANT OR GUARANTEE THE  
 ACCURACY OF THIS DATA AND DISCLAIMS ANY  
 RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS  
 BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

**LATITUDE:** 41°20'44.95"N  
**LONGITUDE:** 86°29'08.05"W



**SEC.35 T34N-R1W**



File: J:\Projects\2025 Projects\2025-01494 Section Corner Replacement - Starke County\Survey\Oregon Township\Z21.dwg Saved By: vbera Plotted: 2025-08-19 11:26 AM

# STARKE COUNTY SECTION CORNER RECORD


**MONUMENT:** NOT FOUND  
**TOWNSHIP:** OREGON  
**PARTY:** RB, MM  
**DATE:** 04-28-2025  
**COMMENTS:**  
 HISTORY: 3/4" IRON ROD FLUSH FOUND BY VHJ/GR ON 3-17-05.

- MONUMENT NOT FOUND BY JPR, CORP. IN 2025. SHOULD BE IMMEDIATELY WEST OF OLD WOODEN POST.



**STATE PLANE COORDINATES**  
**DATUM:** NAD83  
**ZONE:** INDIANA WEST 1302 InGCS Starke  
**NORTHING:**  
**EASTING:**

*NOTE:  
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.*




**LATTITUDE:**  
**LONGITUDE:**

**SEC.36-T34N-R1W**

OREGON TOWNSHIP  
SECTION 36

OREGON TOWNSHIP  
SECTION 36



SECTION 01  
WASHINGTON TOWNSHIP

SECTION 01  
WASHINGTON TOWNSHIP

**Z23**

File: J:\Projects\2025 Projects\2025-01494 Section Corner Replacement - Starke County\Survey\Oregon Township\Z23.dwg Saved By: vbera Plotted: 2025-08-19 11:26 AM

# STARKE COUNTY SECTION CORNER RECORD


**MONUMENT:** 5/8" REBAR  
**TOWNSHIP:** OREGON  
**PARTY:** RB, MM  
**DATE:** 04-28-2025  
**COMMENTS:**  
 HISTORY: 1" BELOW GRADE BRASS PLUG THAT WAS FOUND IN 1983 WAS REPLACED IN 1998 WITH AN ALUMINUM SECTION CORNER MONUMENT BY MARSHALL COUNTY.  
 • ALUMINUM MONUMENT FOUND BY VHJ/GR ON 3-17-05.  
 • 5/8" REBAR FOUND BY JPR, CORP. IN 2025, 0.4' BELOW GRADE .

**STATE PLANE COORDINATES**

**DATUM:** NAD83  
**ZONE:** INDIANA WEST 1302 InGCS Starke  
**NORTHING:** 2221587.025 280661.99  
**EASTING:** 3122163.723 865292.45

NOTE:  
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.



**LATITUDE:** 41°20'44.779"N  
**LONGITUDE:** 86°27'58.808"W



**SEC.36-T34N-R1W**

**STARKE COUNTY  
 OREGON TOWNSHIP  
 SECTION 36**

**MARSHALL COUNTY  
 WEST TOWNSHIP  
 SECTION 31**




**C.R. 1200 EAST**

**CO. LINE ROAD**

**C.R. 300 NORTH**

**WEST 9th RD**



**SECTION 01  
 WASHINGTON TOWNSHIP  
 STARKE COUNTY**

**SECTION 06  
 WEST TOWNSHIP  
 MARSHALL COUNTY**



**Z25**