

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

- MONUMENT FOUND BY HJC/VHJ/DPS IN 2001
- MONUMENT FOUND BY DPS/JL ON 3-17-16
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025
- REPLACED W/ HARRISON MONUMENT 8-1-2025, BY JPR, CORP.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221460.394 280657.77

EASTING: 3090315.000 833442.27

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.556"N

LONGITUDE: 86°34'56.370"W



SEC.6-T33N-R1W

**OREGON TOWNSHIP
SECTION 36**

**OREGON TOWNSHIP
SECTION 31**

C.R. 600 EAST



TOP OF Tf.Ped. T

T TOP OF Tf.Ped.

40.50'

42.70'

C.R. 300 NORTH

47.60'

52.90'

41.10'

MAG NAIL
NORTH FACE
REMC Pw.P. 40226

DOG TAG
NORTH FACE
REMC Pw.P. 42051

DOG TAG
NORTH FACE
NIPSCO Pw.P.
782/200

**SECTION 01
WASHINGTON TOWNSHIP**

**SECTION 06
WASHINGTON TOWNSHIP**




A1

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD CROSSING BOLT
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221478.021 280665.05
EASTING: 3093005.449 836132.87



- COMMENTS:**
- FOUND RR CROSSING BOLT 1" BELOW GRADE BY VHJ/JR IN 3-16-05.
 - MONUMENT FOUND FLUSH BY JPR, CORP. IN 2025.

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.




LATITUDE: 41°20'45.575"N
LONGITUDE: 86°34'21.096"W

SEC. 6-T33N-R1W

OREGON TOWNSHIP
SECTION 31

OREGON TOWNSHIP
SECTION 31





SECTION 06
WASHINGTON TOWNSHIP

SECTION 06
WASHINGTON TOWNSHIP

A3

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" IRON ROD FLUSH TOWNSHIP: WASHINGTON PARTY: RB, MM DATE: 04-28-2025 COMMENTS: <ul style="list-style-type: none"> A 5/8" IRON ROD WAS SET BY VHJ/COD AT RECORDED DISTANCE OF 36 LINKS (23.76') FOR OREGON TOWNSHIP ON 6-21-2005. MONUMENT FOUND BY JPR, CORP. IN 2025. 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2221500.889 280677.81 EASTING: 3095635.506 838763.11 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small> LATTITUDE: 41°20'45.647"N LONGITUDE: 86°33'46.612"W	
		SEC.5-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A5.dwg Saved By: vberra Plotted: 2025-08-18 2:29 PM



STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 1" IRON ROD FLUSH
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: VHJ OF TERRITORIAL ENGR FOUND A 5/8" REROD ON JANUARY 17, 1986.
 • MONUMENT FOUND BY VHJ/JR ON 3-16-05.
 • MONUMENT FOUND BY JPR, CORP. IN 2025 0.2' BELOW GRADE.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221510.065 280676.74
EASTING: 3098302.378 841430.10

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATITUDE: 41°20'45.578"N
LONGITUDE: 86°33'11.647"W



SEC.5-T33N-R1W

OREGON TOWNSHIP
SECTION 32

OREGON TOWNSHIP
SECTION 32



SECTION 05
 WASHINGTON TOWNSHIP

SECTION 05
 WASHINGTON TOWNSHIP



A7

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A7.dwg Saved By: vberra Plotted: 2025-08-18 2:31 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 1/2" IRON PIPE
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: RLP, OF THE STARKE COUNTY SURVEYOR'S OFFICE, SET A RR SPIKE ON JULY 7, 1983.
 • 1/2" IRON PIPE FOUND BY VHJ/GR ON 3-16-05.
 • MONUMENT FOUND 0.3' BELOW GRADE BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221521.435 280677.89
EASTING: 3100962.577 844090.43

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.528"N
LONGITUDE: 86°32'36.770"W



SEC.5-T33N-R1W



SECTION 05
 WASHINGTON TOWNSHIP

SECTION 04
 WASHINGTON TOWNSHIP



A9

File: J:\Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A9.dwg Saved By: vberra Plotted: 2025-08-18 2:34 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: A 3/8" IRON ROD FOUND 2" BELOW GRADE IN MONUMENT BOX BY VHJ/GR ON 3-16-05.

- MONUMENT FOUND FLUSH BY JPR, CORP. IN 2025.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221547.860 280684.02

EASTING: 3106241.073 849369.19

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.459"N

LONGITUDE: 86°31'27.564"W



SEC.3-T33N-R1W

OREGON TOWNSHIP
SECTION 33

OREGON TOWNSHIP
SECTION 34



PK NAIL
EAST FACE
PwP #40417

HARRISON
MONUMENT FLUSH
WITH GRADE
(OREGON TWP.
CORNER)

3/8" REBAR W/
CONTROL CAP

C.R. 300 NORTH

STATE ROAD 23

STATE ROAD 23

3/8" REBAR W/
CONTROL CAP

MAG NAIL
EAST FACE
PwP #40836

SECTION 04
WASHINGTON TOWNSHIP

SECTION 03
WASHINGTON TOWNSHIP

A13

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: NOT FOUND
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: VHJ/GR LOOKED FOR WASHINGTON TOWNSHIP MONUMENT PREVIOUSLY 23.45' TO THE WEST. FOUND NOTHING. POSSIBLY LOST DUE RECONSTRUCTION. DATE: 3-16-05


- NO MONUMENT FOUND BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING:
EASTING:

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE:
LONGITUDE:



SEC.3 T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A15.dwg Saved By: yberra Plotted: 2025-08-18 2:39 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: SET HARRISON MONUMENT IN 2006.

- RLP, OF THE STARKE CO. SURVEYOR'S OFFICE FOUND IRON MONUMENT (AN OLD FENCE POST) 10" BELOW GRADE ON JULY 14,1983.
- HARRISON MONUMENT FOUND BY JPR, CORP. WITH NO TOP IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221566.371 280687.25

EASTING: 3110216.959 853345.26

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.385"N


LONGITUDE: 86°30'35.436"W



SEC.3-T33N-R1W

OREGON TOWNSHIP
SECTION 34

OREGON TOWNSHIP
SECTION 34



SECTION 03
WASHINGTON TOWNSHIP

SECTION 03
WASHINGTON TOWNSHIP



A16

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\A16.dwg Saved By: yberra Plotted: 2025-08-18 2:40 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: A 1/2" IRON ROD WAS FOUND IN MONUMENT BOX BY VHJ/GR ON 3-17-05.

- HARRISON MONUMENT FOUND FLUSH BY JPR, CORP. IN 2025.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221572.185 280687.98

EASTING: 3111541.026 854669.39

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.356"N

LONGITUDE: 86°30'18.077"W



SEC.3-T33N-R1W

OREGON TOWNSHIP
SECTION 34


STATE ROAD 23

OREGON TOWNSHIP
SECTION 35



STATE ROAD 23

C.R. 300 NORTH



SECTION 03
WASHINGTON TOWNSHIP

SECTION 02
WASHINGTON TOWNSHIP

A17

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON PIPE

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: FOUND 1/2" IRON PIPE BY VHJ/GR ON 3-17-05.

- A 1/2" IRON PIPE WAS FOUND 0.1' BELOW GRADE BY JPR, CORP. IN 2025.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2221576.203 280686.91

EASTING: 3112865.313 855993.73

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'45.308"N

LONGITUDE: 86°30'00.714"W



SEC.2-T33N-R1W

OREGON TOWNSHIP
SECTION 35

OREGON TOWNSHIP
SECTION 35



3/8" REBAR W/
CONTROL CAP

C.R. 300 NORTH

PK NAIL
N FACE OF POST

MAG NAIL
NORTHEAST FACE
PwP #40464

C.R. 1025 EAST

SECTION 02
WASHINGTON TOWNSHIP

SECTION 02
WASHINGTON TOWNSHIP

A18

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A18.dwg Saved By: vbera Plotted: 2025-08-18 2:42 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD SPIKE
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: A RR SPIKE WAS FOUND BY
 VHJ/GR ON 3-17-05.


- MONUMENT FOUND BY JPR, CORP.
 IN 2025 0.2' BELOW GRADE.



STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221579.836 280685.45
EASTING: 3114189.574 857318.05

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR
 GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT
 BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE
 COUNTY DOES NOT WARRANT OR GUARANTEE THE
 ACCURACY OF THIS DATA AND DISCLAIMS ANY
 RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS
 BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.



LATITUDE: 41°20'45.256"N
LONGITUDE: 86°29'43.352"W

SEC.2-T33N-R1W

OREGON TOWNSHIP
SECTION 35


OREGON TOWNSHIP
SECTION 35



GRAVEL DRIVE



C.R. 300 NORTH



SECTION 02
WASHINGTON TOWNSHIP

SECTION 02
WASHINGTON TOWNSHIP

A19

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A19.dwg Saved By: vberra Plotted: 2025-08-18 2:55 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD SPIKE
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: FOUND RR SPIKE BY VHJ/GR ON 3-17-05.


- MONUMENT FOUND BY JPR, CORP. IN 2025 0.1' BELOW GRADE .



STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221567.695 280663.07
EASTING: 3116853.288 859981.79

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.



LATITUDE: 41°20'44.956"N
LONGITUDE: 86°29'08.431"W

SEC. 2 T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A21.dwg Saved By: vberra Plotted: 2025-08-18 2:57 PM

A21

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: FOUND 3/4" IRON ROD BY
 DPS/JL ON 8-4-05.

- MONUMENT FOUND (FLUSH & BENT) BY JPR, CORP. IN 2025.




STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221587.411 280672.58
EASTING: 3119509.842 862638.49

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR
 GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT
 BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE
 COUNTY DOES NOT WARRANT OR GUARANTEE THE
 ACCURACY OF THIS DATA AND DISCLAIMS ANY
 RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS
 BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATTITUDE: 41°20'44.968"N
LONGITUDE: 86°28'33.601"W



SEC.1-T33N-R1W

**OREGON TOWNSHIP
 SECTION 36**

**OREGON TOWNSHIP
 SECTION 36**



**SECTION 01
 WASHINGTON TOWNSHIP**

**SECTION 01
 WASHINGTON TOWNSHIP**

A23

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\A23.dwg Saved By: vberra Plotted: 2025-08-18 3:01 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 5/8" REBAR
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: 1" BELOW GRADE BRASS PLUG THAT WAS FOUND IN 1983 WAS REPLACED IN 1998 WITH AN ALUMINUM SECTION CORNER MONUMENT BY MARSHALL COUNTY.
 • ALUMINUM MONUMENT FOUND BY VHJ/GR ON 3-17-05.
 • 5/8" REBAR FOUND BY JPR, CORP. IN 2025, 0.4' BELOW GRADE .

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2221587.025 280661.99
EASTING: 3122163.723 865292.45

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.



LATITUDE: 41°20'44.779"N
LONGITUDE: 86°27'58.808"W



SEC.1-T33N-R1W

**STARKE COUNTY
 OREGON TOWNSHIP
 SECTION 36**

**MARSHALL COUNTY
 WEST TOWNSHIP
 SECTION 31**




C.R. 1200 EAST

CO. LINE ROAD

C.R. 300 NORTH

WEST 9th RD



**SECTION 01
 WASHINGTON TOWNSHIP
 STARKE COUNTY**


**SECTION 06
 WEST TOWNSHIP
 MARSHALL COUNTY**




A25

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\A25.dwg Saved By:vbera Plotted: 2025-08-18 3:03 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD SPIKE TOWNSHIP: WASHINGTON PARTY: JU, BJ DATE: 07-15-2025 COMMENTS: HISTORY: RAILROAD SPIKE FOUND BY DPS/TAB ON 01-06-2004. SET IN SURVEY BY BRADLEY CRAMER, BK MM, PAGE 807. • MONUMENT FOUND (FLUSH WITH GRADE) BY JPR, CORP. IN 2025.	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2220229.7190 279427.02 EASTING: 3090324.0820 833446.62 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: 41°20'33.397"N LONGITUDE: 86°34'56.345"W		SEC. 6-T33N-R1W



**SECTION 01
 CENTER TOWNSHIP
 STARKE COUNTY**

**SECTION 06
 WASHINGTON TOWNSHIP
 STARKE COUNTY**



B1

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\B1.dwg Saved By: vberra Plotted: 2025-08-18 3:05 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD CROSSING BOLT

TOWNSHIP: WASHINGTON

PARTY: JU, BJ

DATE: 07-15-2025

COMMENTS:

HISTORY: RAIL BOLT FOUND BY HJC/VHJ/DPS ON 12-13-2001.

- MONUMENT FOUND (0.2' BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2218910.5290 278107.74

EASTING: 3090333.9740 833451.44

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'20.363"N

LONGITUDE: 86°34'56.315"W



SEC. 6-T33N-R1W

**STARKE COUNTY
CENTER TOWNSHIP
SECTION 01**

COUNTY RD. 600 E.

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 06**




MAG NAIL IN
SW. FACE
OF Pw.P. 282/069

79.48'

COUNTY RD. 250 N.

"1" BEAM LEG OF
IRRIGATION STAND
AT GRADE



65.80'

47.66'

MAG NAIL IN W. FACE
OF Pw.P.

**SECTION 01
CENTER TOWNSHIP
STARKE COUNTY**

**SECTION 06
WASHINGTON TOWNSHIP
STARKE COUNTY**



C1

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: IRON CROSSING BOLT

TOWNSHIP: WASHINGTON


PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: IRON CROSSING BOLT FOUND BY DPS/TJR ON 7/17/02.

- MONUMENT FOUND BY JPR, CORP. IN 2025 0.2' BELOW GRADE.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2218890.597

278077.463

EASTING: 3093026.382


836143.863

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'20.011"N


LONGITUDE: 86°34'21.021"W



SEC. 6-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 06

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 06



SECTION 06
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 06
WASHINGTON TOWNSHIP
STARKE COUNTY

C3

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: IRON ROD W/ METAL CAP

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: IRON ROD W/ METAL SURVEYOR'S CAP. MONUMENT IS 2.5' W OF CENTERLINE OF 700E AND 1.5' S OF CENTERLINE OF 250 N; 0.2; BELOW GRADE.

- MONUMENT FOUND BY JPR, CORP. IN 2025 FLUSH WITH GRADE.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2218870.967

278047.69

EASTING: 3095666.278


838783.77

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'19.662"N

LONGITUDE: 86°33'46.416"W



SEC. 6-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 06

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 05



MAG NAIL IN S FACE OF
PWP #39471

C R 700 EAST


C R 250 NORTH

TOP CENTER OF LARGE,
MOSTLY BURIED, ROCK

PK NAIL IN N FACE
PWP #39470

3/8" REBAR W/
CONTROL CAP

ASPHALT DRIVEWAY




SECTION 06
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 05
WASHINGTON TOWNSHIP
STARKE COUNTY

C5

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: RAIL BOLT
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: RAIL BOLT FOUND 3" BELOW GRADE AND 3 1/2' E OF CENTERLINE OF 800E.
 • MONUMENT FOUND BY JPR, CORP. IN 2025 0.3' BELOW GRADE.



STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2218883.074 278039.32
EASTING: 3100994.664 844112.37

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.




LATITUDE: 41°20'19.459"N
LONGITUDE: 86°32'36.564"W

SEC. 4-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 05**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 04**



**SECTION 05
 WASHINGTON TOWNSHIP
 STARKE COUNTY**

**SECTION 04
 WASHINGTON TOWNSHIP
 STARKE COUNTY**

C9

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\C9.dwg Saved By: vberra Plotted: 2025-08-18 3:15 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON ROD IN MON. BOX

TOWNSHIP: WASHINGTON

PARTY: RB, MM


DATE: 04-28-2025

COMMENTS:

HISTORY: 3/8" IRON ROD IN MONUMENT BOX FOUND BY JL/PM ON 1-23-2008.

COMMENTS: MONUMENT LINES UP WITH W EDGE OF PAVEMENT OF SR 23.

- 1/2" IRON ROD IN MONUMENT BOX FOUND BY JPR, CORP. IN 2025.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2218906.480 278042.52

EASTING: 3106252.847 849370.81

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'19.362"N

LONGITUDE: 86°31'27.632"W



SEC. 3-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 04

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 03

MAG NAIL IN E FACE OF
PWP W/TRANSFORMER
#40849

EDGE OF
PAVEMENT

3/8" REBAR W/
CONTROL CAP



NAIL IN N FACE OF
RR TIE FENCE POST

GRAVEL DRIVE

21.08'

73.03'

82.88'

43.51'

3/8" REBAR W/
CONTROL CAP

SECTION 04
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 03
WASHINGTON TOWNSHIP
STARKE COUNTY

C13

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD CROSSING BOLT

TOWNSHIP: WASHINGTON


PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: REPLACED RR SPIKE FOUND IN 1983 WITH CROSSING BOLT, 2-5-2008.

- RAILROAD CROSSING BOLT FOUND BY JPR, CORP. IN 2025 FLUSH WITH GRADE.



STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2218904.14

278014.71


EASTING: 3112880.00

855998.15

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATTITUDE: 41°20'18.907"N

LONGITUDE: 86°30'00.757"W



SEC. 2-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 02

C R 1025 EAST

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 02

SPLIT RAIL FENCE

DOG TAG ON E FACE OF
PWP W/ TRANSFORMER
#39397

TOP OF ROUND
TELEPHONE PEDESTAL

WOVEN WIRE FENCE

DRIVEWAY

WOVEN WIRE FENCE

3/8" REBAR W/
CONTROL CAP



SECTION 02
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 02
WASHINGTON TOWNSHIP
STARKE COUNTY

C18

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\C18.dwg Saved By: vbera Plotted: 2025-08-18 3:21 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: RB, MM
DATE: 04-28-2025
COMMENTS:
 HISTORY: FOUND 1/2" IRON ROD 0.2' BELOW GRADE ON 1-12-04 BY DPS/TAB.
 • 1/2" IRON ROD FOUND BY JPR, CORP. IN 2025, 0.2' BELOW GRADE .




STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2218931.494 278026.76
EASTING: 3116861.483 859979.85

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°20'18.910"N
LONGITUDE: 86°29'08.562"W



SEC. 1-T33N-R1W

STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 02

STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 01



C.R. 1100 EAST

(GRAVEL)

PK NAIL
 SOUTH FACE
 MAILBOX POST

DIRT LANE

MAG NAIL
 NORTH FACE
 RR TIE END POST

DIRT LANE

PK NAIL
 WEST FACE
 PwP #40525

SECTION 02
 WASHINGTON TOWNSHIP
 STARKE COUNTY

SECTION 01
 WASHINGTON TOWNSHIP
 STARKE COUNTY

C21

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: ALUMINUM MONUMENT

TOWNSHIP: WASHINGTON

PARTY: RB, MM

DATE: 04-28-2025

COMMENTS:

HISTORY: IRON MONUMENT AND REFERENCE WITNESSES FOUND IN 1983 NO LONGER EXIST. ALUMINUM MONUMENT ESTABLISHED BY MARSHALL COUNTY IN 2003 WAS HONORED AS THE SE CORNER OF THE NE 1/4 OF SECTION 1 BY TERRITORIAL ENGINEERING IN SURVEY #06-119 RECORDED AS DR 2006002778.

- ALUMINUM MONUMENT FOUND (-0.3' BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke

NORTHING: 22218950.483 278025.33


EASTING: 3122177.373 865295.96

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATTITUDE: 41°20'18.730"N

LONGITUDE: 86°27'58.874"W



SEC. 1-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 1

MARSHALL COUNTY
WEST TOWNSHIP
SECTION 6



C R 1200 EAST

COUNTY LINE ROAD

3/8" REBAR W/
CONTROL CAP

WEST 9B ROAD

HARRISON MONUMENT
FLUSH

MAG NAIL IN E FACE OF
PWP W/TRANSFORMER

MAG NAIL IN N
FACE OF PWP
#20987
W/TRANSFORMER


SECTION 01
WASHINGTON TOWNSHIP
STARKE COUNTY


SECTION 06
WEST TOWNSHIP
MARSHALL COUNTY



C25

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: NOT FOUND TOWNSHIP: WASHINGTON PARTY: RB, MM DATE: 07-15-2025 COMMENTS: HISTORY: HEX HEAD BOLT FOUND BY JL 0.2' BELOW GRADE ON 10-08-2007. • MONUMENT WAS NOT RECOVERED BY JPR, CORP. IN 2025.	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: EASTING: <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: LONGITUDE:	SEC. 6-T33N-R1W	



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\D1.dwg Saved By: vberra Plotted: 2025-08-18 3:25 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 07-15-2025

COMMENTS:
 HISTORY: 3/4" IRON REINFORCING ROD FOUND BY HJC/VHJ/DPS ON 12-14-2001.


- MONUMENT FOUND (-0.4' BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2216256.527 275453.55
EASTING: 3090361.535 833468.81

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'54.139"N
LONGITUDE: 86°34'56.154"W



SEC. 7-T33N-R1W

**CENTER TOWNSHIP
SECTION 1**

**WASHINGTON TOWNSHIP
SECTION 6**



DITCH

COUNTY RD. 600 E.

TOP OF Tf.Ped.

35.43'

COUNTY RD. 200 N.

CULVERT

44.00'

51.05'

R.R. SPIKE

MAG NAIL IN W. FACE OF PwP.

**SECTION 12
CENTER TOWNSHIP**

**SECTION 07
WASHINGTON TOWNSHIP**




E1

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" REBAR
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 07-15-2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2216240.952 275427.65
EASTING: 3093048.075 836155.38



COMMENTS:

- HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-07. 2" BELOW GRADE; TOP OF ROD IS BENT .07' TO THE SE. MEASUREMENTS TAKEN TO THE STRAIGHT PORTION OF ROD.
- MONUMENT FOUND (FLUSH AND BENT) BY JPR, CORP. IN 2025.


NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'53.831"N
LONGITUDE: 86°34'20.941"W

SEC. 7-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 6**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 6**



**SECTION 07
 WASHINGTON TOWNSHIP
 STARKE COUNTY**

**SECTION 07
 WASHINGTON TOWNSHIP
 STARKE COUNTY**




E3

File: J:\Projects\2025 Projects\2025-01-493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E3.dwg Saved By: vberra Plotted: 2025-08-18 3:29 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAIL BOLT TOWNSHIP: WASHINGTON PARTY: JU, BJ DATE: 07-15-2025 COMMENTS: HISTORY: RAIL BOLT FOUND BY JL/PM ON 12-07-2007 5" BELOW GRADE AND 1 1/2' S OF CENTERLINE OF 200N. • MONUMENT FOUND (-0.5' BELOW GRADE) BY JPR, CORP. IN 2025.	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 NORTHING: 2216225.735 EASTING: 3095688.517 InGCS Starke 275402.28 838795.85 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: 41°19'53.525"N LONGITUDE: 86°33'46.332"W		SEC. 8-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E5.dwg Saved By: vberra Plotted: 2025-08-18 3:29 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: RAIL BOLT
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 07-15-2025
COMMENTS:
 HISTORY: RAIL BOLT FOUND BY JL/PM ON 12-7-2007 4" BELOW GRADE; 1' S OF CENTERLINE 200N.
 • MONUMENT FOUND (-0.2' BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2216236.518 275402.80
EASTING: 3098360.468 841467.92

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATITUDE: 41°19'53.472"N
LONGITUDE: 86°33'11.308"W



SEC. 8-T33N-R1W

STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 05

STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 05



SECTION 08
 WASHINGTON TOWNSHIP
 STARKE COUNTY


SECTION 08
 WASHINGTON TOWNSHIP
 STARKE COUNTY




E7

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E7.dwg Saved By: vberra Plotted: 2025-08-18 3:30 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: RAIL BOLT TOWNSHIP: WASHINGTON PARTY: JU, BJ DATE: 07-15-2025 COMMENTS: HISTORY: RAIL BOLT FOUND BY JL/PM ON 12-7-2007 2" BELOW GRADE; 2' W OF CENTERLINE 800E; 2 1/2' S OF CENTERLINE OF 200N. • MONUMENT FOUND (-0.1' BELOW GRADE) BY JPR, CORP. IN 2025.	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2216241.718 275397.76 EASTING: 3101026.796 844134.36 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: 41°19'53.361"N LONGITUDE: 86°32'36.358"W		SEC. 9-T33N-R1W




E9

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E9.dwg Saved By: vberra Plotted: 2025-08-18 3:30 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: SQUARE HEAD LAG BOLT TOWNSHIP: WASHINGTON PARTY: JU, BJ DATE: 07-15-2025 COMMENTS: HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-2007. 1" BELOW GRADE; 1' S OF CL OF 200N. • MONUMENT FOUND (0.2' BELOW GRADE) BY JPR, CORP. IN 2025.	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2216256.370 275402.36 EASTING: 3103641.046 846748.75 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: 41°19'53.344"N LONGITUDE: 86°32'02.091"W		SEC. 9-T33N-R1W



SECTION 09
 WASHINGTON TOWNSHIP
 STARKE COUNTY

E11

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E11.dwg Saved By: vberra Plotted: 2025-08-18 3:30 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" REBAR IN MON BOX

TOWNSHIP: WASHINGTON

PARTY: JU, BJ

DATE: 07-15-2025

COMMENTS:

HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-2007. 1' W OF CL OF SR 23; 12' S OF CL OF 200N.

- MONUMENT BOX COULD NOT BE OPENED BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING:

EASTING:

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE:


LONGITUDE:



SEC. 10-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 04**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 03**



**SECTION 09
WASHINGTON TOWNSHIP
STARKE COUNTY**

**SECTION 10
WASHINGTON TOWNSHIP
STARKE COUNTY**




E13

File: J:\Projects\2025 Projects\2025-01493 N Huff Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E13.dwg Saved By: vberra Plotted: 2025-08-18 3:34 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" PINCH PIPE
TOWNSHIP: WASHINGTON
PARTY: JU/AK
DATE: 07-12-2025
COMMENTS:

STATE PLANE COORDINATES
DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2216263.230 275388.92
EASTING: 3108925.961 852033.85




SEC. 10-T33N-R1W

- HISTORY:**
- PINCH PIPE FOUND BY JL/PM ON 12-7-2007 4" BELOW GRADE; 5' S OF THE CENTERLINE OF 200N.
 - PINCH PIPE FOUND (0.3' BELOW GRADE) BY JPR, CORP. IN 2025.

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'53.075"N
LONGITUDE: 86°30'52.818"W



SECTION 10
WASHINGTON TOWNSHIP
STARKE COUNTY


SECTION 10
WASHINGTON TOWNSHIP
STARKE COUNTY




E15

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E15.dwg Saved By: vberra Plotted: 2025-08-18 3:35 PM

STARKE COUNTY SECTION CORNER RECORD

<p>MONUMENT: IRON ROD IN IRON PIPE</p> <p>TOWNSHIP: WASHINGTON</p> <p>PARTY: JU/AK</p> <p>DATE: 07-12-2025</p> <p>COMMENTS:</p> <p>HISTORY:</p> <ul style="list-style-type: none"> • 3/8" IRON ROD IN 1/2" IRON PIPE FOUND (3" BELOW GRADE; 2' S OF CENTERLINE OF 200N) BY JL/PM IN 12-7-2007. • 3/8" IRON ROD IN 1/2" IRON PIPE FOUND BY JPR IN 2025. 	<p style="text-align: center;">STATE PLANE COORDINATES</p> <p>DATUM: NAD83</p> <p>ZONE: INDIANA WEST 1302 InGCS Starke</p> <p>NORTHING: 2216259.911 275375.44</p> <p>EASTING: 3111569.212 854677.16</p> <p><small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small></p> <p>LATTUDE: 41°19'52.869"N</p> <p>LONGITUDE: 86°30'18.171"W</p>	
		SEC. 11-T33N-R1W





File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E17.dwg Saved By: vbera Plotted: 2025-08-18 3:36 PM



E17

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: IRON ROD IN IRON PIPE TOWNSHIP: WASHINGTON PARTY: JU/AK DATE: 7/14/2025 COMMENTS: HISTORY: <ul style="list-style-type: none"> REPLACED BENT 3/4" IRON PIPE FOUND IN 1986 WITH CURRENT MONUMENT. ESTABLISHMENT OF NEW MONUMENT WAS BASED ON DISTANCES FROM OLD REFERENCE WITNESSES. 5/8" IRON ROD INSIDE 3/4" IRON PIPE FOUND (-0.3' BELOW GRADE) BY JPR, CORP. IN 2025. 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2216262.088 275372.53 EASTING: 3112894.309 856002.31 NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL <u>NOT</u> BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS. LATTITUDE: 41°19'52.803"N LONGITUDE: 86°30'00.802"W	
		SEC. 11-T33N-R1W



E18


File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E18.dwg Saved By: vberra Plotted: 2025-08-18 3:36 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" IRON ROD W/ PLYMOUTH LAND SURVEYING CAP
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 07-29-2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2216284.013 275384.295
EASTING: 3115537.737 858645.896



COMMENTS:
 HISTORY:
 • MONUMENT IS 1' S OF FENCE REMNANTS. 1 1/2" IRON PIPE LOCATED IN 1967 NO LONGER EXISTS. MONUMENT WAS ESTABLISHED BY PLYMOUTH LAND SURVEYING FOR A LAND SURVEY IN 2004 RECORDED AS DOCUMENT #2004458354.
 • MONUMENT FOUND (0.2' ABOVE GRADE) BY JPR, CORP. IN 2025.


NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'52.843"N
LONGITUDE: 86°29'26.152"W

SEC. 11-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 2**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 2**



**SECTION 11
 WASHINGTON TOWNSHIP
 STARKE COUNTY**


**SECTION 11
 WASHINGTON TOWNSHIP
 STARKE COUNTY**




E20

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp E20.dwg Saved By: vberra Plotted: 2025-08-18 3:40 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" IRON PIPE	STATE PLANE COORDINATES		
TOWNSHIP: WASHINGTON	DATUM: NAD83		
PARTY: JU/AK	ZONE: INDIANA WEST 1302	InGCS Starke	
DATE: 7/14/2025	NORTHING: 2216283.669	275378.86	
COMMENTS:	EASTING: 3116862.462	859970.66	NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.
HISTORY:	LATITUDE: 41°19'52.750"N		
<ul style="list-style-type: none"> 3/4" IRON PIPE FOUND BY DPS/TAB ON 1-12-04. 3/4" IRON PIPE FOUND 0.4' BELOW GRADE BY JPR, CORP. IN 2025. 	LONGITUDE: 86°29'08.788"W		
			SEC. 1-T33N-R1W




File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E21.dwg Saved By: vberra Plotted: 2025-08-18 3:42 PM



STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT	STATE PLANE COORDINATES		
TOWNSHIP: WASHINGTON	DATUM: NAD83		
PARTY: RB, MM	ZONE: INDIANA WEST 1302	InGCS Starke	
DATE: 07-10-2025	NORTHING: 2216287.240	275361.97	
COMMENTS:	EASTING: 3122188.330	865296.69	
HISTORY: <ul style="list-style-type: none"> FOUND AND REFERENCED BY DPS/TAB OF TERRITORIAL ENGINEERING IN 2004. MONUMENT ESTABLISHED BY MARSHALL COUNTY IN 1993 OVER STONE. ALUM. DISC FOUND BY JL/PM ON 1-23-08. HARRISON MONUMENT FOUND 0.2' BELOW GRADE BY JPR, CORP. IN 2025. 			SEC. 1-T33N-R1W
NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.			
LATTUDE: 41°19'52.417"N LONGITUDE: 86°27'58.979"W			



E25

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\E25.dwg Saved By:v.berra Plotted: 2025-08-18 3:43 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 07-15-2025

COMMENTS:
 HISTORY: 2" ϕ IRON PIPE MONUMENT FOUND BY HJC/VHJ/DPS ON 12-13-2001.


- MONUMENT FOUND (0.4' BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2213610.791 272807.67
EASTING: 3090374.814 833471.92

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'27.999"N
LONGITUDE: 86°34'56.181"W



SEC. 7-T33N-R1W

**STARKE COUNTY
 CENTER TOWNSHIP
 SECTION 12**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 07**

SE. CORNER 4X4 FENCE POST.

2" METAL DISK
 IN W. FACE OF
 R.T.P.

COUNTY RD. 600 E.

COUNTY RD 150 N.

D.T. IN EAST FACE
 OF WOODEN POST

D.T. Pw.P. #789/892

33.74'

29.84'

37.59'

30.05'

**SECTION 12
 CENTER TOWNSHIP
 STARKE COUNTY**


**SECTION 07
 WASHINGTON TOWNSHIP
 STARKE COUNTY**




G1

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\G1.dwg Saved By: vberra Plotted: 2025-08-18 3:44 PM


STARKE COUNTY SECTION CORNER RECORD


MONUMENT: RAIL BOLT	STATE PLANE COORDINATES		
TOWNSHIP: WASHINGTON	DATUM: NAD83		
PARTY: JU, BJ	ZONE: INDIANA WEST 1302	inGCS Starke	
DATE: 07-15-2025	NORTHING: 2213581.655	272758.06	
COMMENTS: HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-2007. 3" BELOW GRADE; 3 1/2' W OF CL OF 700E; 2' S OF CL OF 150N. • MONUMENT FOUND (0.2' BELOW GRADE) BY JPR, CORP. IN 2025.	EASTING: 3095704.025	838801.20	
		<i>NOTE:</i> COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL <u>NOT</u> BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.	
		LATITUDE: 41°19'27.401"N LONGITUDE: 86°33'46.337"W	SEC. 8-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\G5.dwg Saved By: vberra Plotted: 2025-08-18 3:45 PM

STARKE COUNTY SECTION CORNER RECORD

<p>MONUMENT: 5/8" REBAR</p> <p>TOWNSHIP: WASHINGTON</p> <p>PARTY: JU, BJ</p> <p>DATE: 07-15-2025</p> <p>COMMENTS: HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-2007. 2" BELOW GRADE. 1' S OF EDGE OF PAVEMENT.</p> <ul style="list-style-type: none"> • MONUMENT FOUND (0.2' BELOW GRADE) BY JPR, CORP. IN 2025. 	<p style="text-align: center;">STATE PLANE COORDINATES</p> <p>DATUM: NAD83</p> <p>ZONE: INDIANA WEST 1302 InGCS Starke</p> <p>NORTHING: 2213593.272 272759.45</p> <p>EASTING: 3098365.707 841463.01</p> <p><small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small></p> <p>LATITUDE: 41°19'27.357"N</p> <p>LONGITUDE: 86°33'11.451"W</p>	
		SEC. 8-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\g7.dwg Saved By: vberra Plotted: 2025-08-18 3:45 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD CROSSING BOLT

STATE PLANE COORDINATES

TOWNSHIP: WASHINGTON

DATUM: NAD83

PARTY: JU, BJ

ZONE: INDIANA WEST 1302 InGCS Starke

DATE: 07-15-2025

NORTHING: 2213604.646 272760.60


COMMENTS:

EASTING: 3101027.765 844125.19

HISTORY: MONUMENT FOUND BY JL/PM ON 12-07-2007. RR SPIKE REPLACED WITH CROSSING BOLT. 2' S OF CL OF 150N.

*NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.*

- MONUMENT FOUND (-0.3' BELOW GRADE) BY JPR, CORP. IN 2025.



LATITUDE: 41°19'27.307"N

LONGITUDE: 86°32'36.561"W

SEC. 9-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 08**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 09**

C R 800 EAST




C R 150 NORTH

TOP OF 60" CORRUGATED STEEL CULVERT

DITCH

DITCH



TOP OF 60" CORRUGATED STEEL CULVERT

DOG TAG IN E FACE OF PWP
W/ TRANSFORMER

**SECTION 08
WASHINGTON TOWNSHIP
STARKE COUNTY**

**SECTION 09
WASHINGTON TOWNSHIP
STARKE COUNTY**



G9

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 5/8" REBAR IN MON BOX
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:

- MONUMENT FOUND BY DPS/JL ON 11-15-07. 1' E OF CL OF SR23; 3' N OF CL OF 150N.
- MONUMENT BOX COULD NOT BE OPENED BY JPR, CORP. IN 2025


STATE PLANE COORDINATES
DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING:
EASTING:

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE:
LONGITUDE:



SEC.10-T33N-R1W



G13

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\G13.dwg Saved By: vberra Plotted: 2025-08-18 4:01 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" REBAR
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 12-03-07. 2" BELOW GRADE; 1' N OF CL OF 150N.
- MONUMENT FOUND BY JPR, CORP. 0.1' BELOW GRADE IN 2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2213619.157 272744.70
EASTING: 3108943.452 852041.18

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATITUDE: 41°19'26.95"N
LONGITUDE: 86°30'52.82"W



SEC.10-T33N-R1W

SECTION 10

SECTION 10




SECTION 10


SECTION 10



G15

STARKE COUNTY SECTION CORNER RECORD

<p>MONUMENT: 5/8" REBAR</p> <p>TOWNSHIP: WASHINGTON</p> <p>PARTY: AK, VB</p> <p>DATE: 07-15-2025</p> <p>COMMENTS:</p> <ul style="list-style-type: none"> MONUMENT FOUND BY PM/JL ON 12-03-07. 2" BELOW GRADE. MONUMENT FOUND BY JPR, CORP. 0.3' BELOW GRADE IN 2025 	<p style="text-align: center;">STATE PLANE COORDINATES</p> <p>DATUM: NAD83</p> <p>ZONE: INDIANA WEST 1302 InGCS Starke</p> <p>NORTHING: 2213617.011 272737.48</p> <p>EASTING: 3110263.452 853361.21</p> <p><small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small></p> <p>LATITUDE: 41°19'26.844"N</p> <p>LONGITUDE: 86°30'35.516"W</p>	
		SEC.10-T33N-R1W



G16

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\G16.dwg Saved By: vberra Plotted: 2025-08-18 4:02 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" REBAR
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 12-03-07.
- MONUMENT FOUND BY JPR, CORP. 0.5' BELOW GRADE IN 2025

STATE PLANE COORDINATES



DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2213615.568 272730.95
EASTING: 3111588.127 854685.92

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'26.742"N
LONGITUDE: 86°30'18.154"W



SEC.10-T33N-R1W



G17

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAIL BOLT

TOWNSHIP: WASHINGTON

PARTY: JU/AK

DATE: 7/14/2025

COMMENTS:

HISTORY:

- RAIL BOLT FOUND 3" BELOW GRADE BY JL/PM ON 12-3-2007.
- RAIL BOLT FOUND 0.3' BELOW GRADE BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2213613.281

272708.37

EASTING: 3116869.397


859967.33

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'26.366"N


LONGITUDE: 86°29'08.938"W



SEC. 1-T33N-R1W

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 11

STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 12



SECTION 11
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 12
WASHINGTON TOWNSHIP
STARKE COUNTY



G21

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD SPIKE

TOWNSHIP: WASHINGTON

PARTY: JU/AK

DATE: 7/14/2025

COMMENTS:

HISTORY:

- RAILROAD SPIKE W/ PUNCH MARK FOUND BY JL/PM ON 12-3-2007.
- ESTABLISHED BY TERRITORIAL ENGINEERING IN 1979. USED FOR SURVEYS BY TERRITORIAL ENGINEERING IN 2001 AND 2004. MONUMENT IS 1 1/2' N OF ϕ OF 150N.
- RAILROAD SPIKE FOUND 0.3' BELOW GRADE BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302

InGCS Starke

NORTHING: 2213625.482

272710.34

EASTING: 3119533.517


862631.57

NOTE:

COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'26.304"N

LONGITUDE: 86°28'34.021"W



SEC. 12-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 12**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 12**



C R 150 NORTH

PK NAIL ON
E FACE OF PWP

153.5'



41.9'

27.5'

PK NAIL IN S FACE OF GUY
WIRE POLE

32.75'

PK NAIL W FACE
OF PWP

C R 1150 EAST

**SECTION 12
WASHINGTON TOWNSHIP
STARKE COUNTY**

**SECTION 12
WASHINGTON TOWNSHIP
STARKE COUNTY**



G23

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7-9-2025
COMMENTS:


- HISTORY: RR SPIKE IN 1983 WAS REPLACED WITH A BRASS MARKER IN 1988 AND THEN AN ALUMINUM MONUMENT IN 2003 BY MARSHALL COUNTY.
- ALUMINUM MONUMENT FOUND BY PM/JL ON 1-23-2008.
- IRON ROD FOUND 0.3' BELOW GRADE BY JPR IN 2025.

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2213637.373 272711.97
EASTING: 3122204.454 865302.63

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'26.235"N
LONGITUDE: 86°27'59.015"W



SEC. 12-T33N-R1W



SECTION 12
 WASHINGTON TOWNSHIP
 STARKE COUNTY

SECTION 7
 WEST TOWNSHIP
 MARSHALL COUNTY



G25

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\G25.dwg Saved By: vberra Plotted: 2025-08-18 4:05 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" REBAR
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- 2" IRON PIPE FOUND BY HJC/VHJ/DPS IN 12-14-2001
- MONUMENT FOUND BY JPR, CORP. 0.5' BELOW GRADE IN 2025

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2210960.602 270157.31
EASTING: 3090396.565 833483.49

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'01.814"N
LONGITUDE: 86°34'56.096"W



SEC. 18-T33N-R1W





File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J1.dwg Saved By: vberra Plotted: 2025-08-18 4:06 PM



J1

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" REBAR TOWNSHIP: WASHINGTON PARTY: AK, VB DATE: 07-15-2025 COMMENTS: <ul style="list-style-type: none"> MONUMENT FOUND BY PM/JL ON 11-15-07. 3" BELOW GRADE, 2' S OF CL OF 100N, 2.5' E OF CL OF 650E. MONUMENT FOUND BY JPR, CORP. 0.3' BELOW GRADE IN 2025 	<p style="text-align: center;">STATE PLANE COORDINATES</p> DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2210946.588 270133.01 EASTING: 3093074.079 836161.04 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small> LATITUDE: 41°19'01.521"N LONGITUDE: 86°34'21.009"W	
		SEC.18-T33N-R1W



File: I:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J3.dwg Saved By: vberra Plotted: 2025-08-18 4:12 PM



J3

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD CROSSING BOLT
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 11-15-07.
- 2" BELOW GRADE, DID NOT EXCAVATE FOR STONE UNDER RAIL BOLT INDICATED IN 1983.
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2210941.213 270117.48
EASTING: 3095718.193 838805.22

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'01.313"N
LONGITUDE: 86°33'46.359"W



SEC. 18-T33N-R1W

SECTION 7

SECTION 8



PK NAIL IN S FACE OF PWP #39231

PK NAIL IN E FACE OF PWP #39232

MAG NAIL IN W FACE OF PWP

C R 100 NORTH

C R 700 EAST


92.8'

44.4'

62.9'


SECTION 18


SECTION 17



J5

STARKE COUNTY SECTION CORNER RECORD


<p>MONUMENT: PK NAIL INSIDE 1.5" PIPE</p> <p>TOWNSHIP: WASHINGTON</p> <p>PARTY: AK, VB</p> <p>DATE: 07-15-2025</p> <p>COMMENTS:</p> <ul style="list-style-type: none"> MONUMENT FOUND BY PM/JL ON 11-15-07. 2" BELOW GRADE; 1' S OF CL OF 100N, 1' W OF CL OF 800E. DID NOT EXCAVATE FOR STONE IN 1983. MONUMENT FOUND BY JPR, CORP. FLUSH IN 2025 	<p style="text-align: center;">STATE PLANE COORDINATES</p> <p>DATUM: NAD83</p> <p>ZONE: INDIANA WEST 1302 InGCS Starke</p> <p>NORTHING: 2210954.358 270110.24</p> <p>EASTING: 3101024.114 844111.36</p> <p><small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small></p> <p>LATITUDE: 41°19'01.122"N</p> <p>LONGITUDE: 86°32'36.825"W</p>	
		SEC.16-T33N-R1W




File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J9.dwg Saved By: vberra Plotted: 2025-08-18 4:13 PM



STARKE COUNTY SECTION CORNER RECORD

MONUMENT: HARRISON MONUMENT TOWNSHIP: WASHINGTON PARTY: AK,VB DATE: 07-15-2025 COMMENTS: <ul style="list-style-type: none"> MONUMENT FOUND BY PM/JL ON 11-15-07. 1' E OF CL OF SR 23. MONUMENT FOUND BY JPR, CORP. FLUSH IN 2025 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2210974.617 270110.17 EASTING: 3106317.285 849404.78 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small> LATITUDE: 41°19'00.991"N LONGITUDE: 86°31'27.458"W	
		SEC.15-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J13.dwg Saved By: vberra Plotted: 2025-08-18 4:14 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAIL BOLT IN 2" PIPE
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 11-15-07. 2' N OF CL OF 100N.
- MONUMENT FOUND BY JPR, CORP. FLUSH IN 2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2210973.379 270098.80
EASTING: 3108954.221 852041.79

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATITUDE: 41°19'00.810"N
LONGITUDE: 86°30'52.902"W



SEC.15-T33N-R1W

SECTION 10

SECTION 10



SECTION 15

SECTION 15



J15

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON PIPE
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 11-15-07. 1" BELOW GRADE; 5' N OF CL OF 100N.
- MONUMENT FOUND BY JPR, CORP. 0.1' BELOW GRADE IN 2025

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2210972.146 270092.47
EASTING: 3110281.170 853368.77

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'00.711"N
LONGITUDE: 86°30'35.512"W



SEC.15-T33N-R1W



J16

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J16.dwg Saved By: vberra Plotted: 2025-08-18 4:15 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" REBAR
TOWNSHIP: WASHINGTON
PARTY: AK, VB
DATE: 07-15-2025
COMMENTS:


- MONUMENT FOUND BY PM/JL ON 11-15-07. 2 1/2' N OF CL OF 100N.
- MONUMENT FOUND BY JPR, CORP. FLUSH IN 2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2210970.596 270085.84
EASTING: 3111604.551 854692.18

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.


LATITUDE: 41°19'00.609"N
LONGITUDE: 86°30'18.170"W



SEC.15-T33N-R1W

SECTION 10

SECTION 11



SECTION 15

SECTION 14



J17

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J17.dwg Saved By: vbera Plotted: 2025-08-18 4:15 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: RAILROAD BOLT

TOWNSHIP: WASHINGTON

PARTY: AK, VB

DATE: 07-15-2025

COMMENTS:

- MONUMENT FOUND BY PM/JL ON 11-15-07. 1" BELOW GRADE; 2' W OF CL OF 1025E.
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2210976.256 270086.42

EASTING: 3112927.838 856015.53

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°19'00.578"N

LONGITUDE: 86°30'00.829"W



SEC.14-T33N-R1W

SECTION 11

SECTION 11

C R 1025 EAST

C R 100 NORTH

TOP OF ROUND TELEPHONE PEDESTAL

MAG NAIL IN S FACE OF PWP #39447



169.75'

47.7'

32.75'

135.9'

MAG NAIL IN N FACE OF PWP #41376

SECTION 14


TOP OF ROUND TELEPHONE PEDESTAL


SECTION 14



J18

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: ALUMINUM MONUMENT	STATE PLANE COORDINATES		
TOWNSHIP: WASHINGTON	DATUM: NAD83		
PARTY: JU/BJ	ZONE: INDIANA WEST 1302	InGCS Starke	
DATE: 7-9-2025	NORTHING: 2210985.743	270060.28	
COMMENTS:	EASTING: 3122201.603	865289.59	
<ul style="list-style-type: none"> • HISTORY: ESTABLISHED BY MARSHALL COUNTY IN 1998. HONORED BY TERRITORIAL ENGINEERING AS A STARKE COUNTY CORNER IN 2001 IN TE SURVEY # 01-181. • ALUMINUM MONUMENT FOUND BY PM/JL ON 1-23-2008. • ALUMINUM MONUMENT FOUND 0.2' BELOW GRADE BY JPR IN 2025. 			
<p><i>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</i></p>			
LATTUDE: 41°19'00.038"N			SEC. 12-T33N-R1W
LONGITUDE: 86°27'59.299"W			



J25

File: I:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\J25.dwg Saved By: vberra Plotted: 2025-08-18 4:16 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 2" IRON PIPE
TOWNSHIP: WASHINGTON
PARTY: JU, BJ
DATE: 7-15-2025
COMMENTS:
 HISTORY: 2" CAST IRON PIPE BY HJC/VHJ/DPS ON 12-14-2000.
 • MONUMENT FOUND BY JPR, CORP. IN 2025 0.2' BELOW GRADE.



STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208340.216 267536.78
EASTING: 3090409.173 833486.03

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.



LATITUDE: 41°18'35.923"N
LONGITUDE: 86°34'56.129"W

SEC. 18-T33N-R1W


**CENTER TOWNSHIP
SECTION 13**

**WASHINGTON TOWNSHIP
SECTION 18**

COUNTY RD. 600 E.



P.K. NAIL IN W. FACE OF Pw.P. 778/653



24' ±
 CENTERLINE OF DRIVE
 PRIVATE DRIVE
 CENTER TOP OF Tf.Ped.
 D.T. IN W. FACE OF Pw.P. 787/505

**SECTION 13
CENTER TOWNSHIP**

**SECTION 18
WASHINGTON TOWNSHIP**

L1

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 2" IRON PIPE
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7-15-2025
COMMENTS:
 HISTORY:
 • 2" IRON PIPE FOUND BY JL/PM ON 11-15-2007. 1.5' E OF CL OF 700E.
 • MONUMENT FOUND (3" BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208292.396 267468.54
EASTING: 3095726.759 838803.61

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'35.142"N
LONGITUDE: 86°33'46.455"W




SEC. 17-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 18**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 17**

C R 700 EAST



**SECTION 18
 WASHINGTON TOWNSHIP
 STARKE COUNTY**

**SECTION 17
 WASHINGTON TOWNSHIP
 STARKE COUNTY**



L5


File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\L5.dwg Saved By: vbera Plotted: 2025-08-18 4:24 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: IRON PIPE W/ RAIL BOLT
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7/15/2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208295.943 267482.23
EASTING: 3093084.592 836161.37



- COMMENTS:**
- HISTORY: 1 1/2" IRON PIPE W/RAIL BOLT INSIDE FOUND 10" BELOW GRADE AND 2.5' W OF ϕ OF 650E BY DPS/JL IN 2-07-08.
 - MONUMENT FOUND 0.4' BELOW GRADE BY JPR, CORP. IN 2025.

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL **NOT** BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'35.332"N
LONGITUDE: 86°34'21.075"W


SEC.18-T33N-R1W

**WASHINGTON TOWNSHIP
 SECTION 18**

**WASHINGTON TOWNSHIP
 SECTION 18**




C R 650 EAST



**SECTION 18
 WASHINGTON TOWNSHIP**

**SECTION 18
 WASHINGTON TOWNSHIP**



L3

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 1/2" IRON PIPE
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7-15-2025
COMMENTS:
 HISTORY:
 • 1/2" IRON PIPE FOUND BY JL/PM N 11-15-2007.
 • MONUMENT FOUND FLUSH WITH GRADE BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208306.624 267462.36
EASTING: 3101041.091 844118.17

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'34.962"N
LONGITUDE: 86°32'36.818"W




SEC. 16-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 17**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 16**

C R 800 EAST



**SECTION 17
 WASHINGTON TOWNSHIP
 STARKE COUNTY**

**SECTION 16
 WASHINGTON TOWNSHIP
 STARKE COUNTY**



L9

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\L9.dwg Saved By: vbera Plotted: 2025-08-18 4:25 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" IRON ROD IN MON BOX

TOWNSHIP: WASHINGTON

PARTY: JU,BJ

DATE: 07-29-2025

COMMENTS:

HISTORY:

- MONUMENT FOUND BY JL/PM ON 11-15-07.
- MONUMENT BOX UNABLE TO BE OPENED BY JPR, CORP. IN 2025

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING:

EASTING:

NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE:

LONGITUDE:



SEC.16-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 15**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 15**

SR 23

MAG NAIL IN W FACE OF 24" SASSAFRAS



43.5'

TOP OF ROUND TELEPHONE PEDESTAL

21.6'

18.4'

GRAVEL DRIVE

51.0'

CONCRETE SLAB

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 16**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 15**



L13

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\L13.dwg Saved By: vbera Plotted: 2025-08-18 4:25 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON PIPE

TOWNSHIP: WASHINGTON

PARTY: AK,VB

DATE: 07-15-2025

COMMENTS:

- 1' W OF CL OF 1025E. SET BY JOSEPH SMRT IN 1980 IN A SURVEY FOR O'NEILL #3795307
- MONUMENT FOUND BY PM/JL ON 11-15-07.
- MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2208338.853 267448.90

EASTING: 3112937.691 856015.25

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'34.520"N


LONGITUDE: 86°30'00.932"W



SEC.14-T33N-R1W


SECTION 14

SECTION 14




SECTION 14


SECTION 14



L18

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 3/4" IRON PIPE TOWNSHIP: WASHINGTON PARTY: AK, VB DATE: 07-15-2025 COMMENTS: <ul style="list-style-type: none"> MONUMENT FOUND 0.2' BELOW GRADE BY JL/PM ON 11-06-07 MONUMENT FOUND BY JPR, CORP. 0.2' BELOW GRADE IN 2025 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2208334.472 267439.45 EASTING: 3114256.531 857334.12 <small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small>	
LATITUDE: 41°18'34.389"N LONGITUDE: 86°29'43.651"W		SEC.14-T33N-R1W



L19


File: J:\Projects\2025-Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\L19.dwg Saved By: vberra Plotted: 2025-08-18 4:28 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 07-29-2025
COMMENTS:

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208340.749 267440.64
EASTING: 3115580.582 858658.23



- HISTORY:**
- MONUMENT FOUND BY JL/PM ON 11-6-2007 5" BELOW GRADE.
 - MONUMENT FOUND (0.5' BELOW GRADE) BY JPR, CORP. IN 2025.


NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'34.362"N
LONGITUDE: 86°29'26.301"W

SEC. 14-T33N-R1W

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 14**

**STARKE COUNTY
 WASHINGTON TOWNSHIP
 SECTION 14**



C R 50 NORTH

**SECTION 14
 WASHINGTON TOWNSHIP
 STARKE COUNTY**


**SECTION 14
 WASHINGTON TOWNSHIP
 STARKE COUNTY**




L20

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\L20.dwg Saved By: vbera Plotted: 2025-08-18 4:29 PM

STARKE COUNTY SECTION CORNER RECORD

<p>MONUMENT: 1.5" IRON ROD W/ PUNCH MARK</p> <p>TOWNSHIP: WASHINGTON</p> <p>PARTY: JU/BJ</p> <p>DATE: 07-29-2025</p> <p>COMMENTS:</p> <p>HISTORY:</p> <ul style="list-style-type: none"> MONUMENT FOUND BY JL/PM ON 11-6-2007 6" BELOW GRADE; 1.5' S, OF CL OF CR 25N. MONUMENT FOUND (0.6' BELOW GRADE) BY JPR, CORP. IN 2025. 	<p style="text-align: center;">STATE PLANE COORDINATES</p> <p>DATUM: NAD83</p> <p>ZONE: INDIANA WEST 1302 InGCS Starke</p> <p>NORTHING: 2208341.390 267436.20</p> <p>EASTING: 3116903.250 859980.94</p> <p><small>NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.</small></p> <p>LATITUDE: 41°18'34.278"N</p> <p>LONGITUDE: 86°29'08.970"W</p>	
		SEC. 13-T33N-R1W



SECTION 14
WASHINGTON TOWNSHIP
STARKE COUNTY

SECTION 13
WASHINGTON TOWNSHIP
STARKE COUNTY



L21


File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\L21.dwg Saved By: vberra Plotted: 2025-08-18 4:29 PM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7-9-2025

STATE PLANE COORDINATES

DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2208348.666 267423.08
EASTING: 3122214.079 865291.94




COMMENTS:
 HISTORY: RR SPIKE FOUND IN 1983 WAS REPLACED BY A BRASS MARKER AND THEN AN ALUMINUM MONUMENT IN 1994 BY MARSHALL COUNTY.

- ALUMINUM MONUMENT FOUND BY PM/JL ON 11-15-2007.
- IRON ROD FOUND 0.2' BELOW GRADE BY JPR IN 2025.

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'33.983"N
LONGITUDE: 86°27'59.381"W

SEC. 13-T33N-R1W



L25

File: J:\Projects\2025 Projects\2025-01-493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\L25.dwg Saved By: vbera Plotted: 2025-08-18 4:29 PM

STARKE COUNTY SECTION CORNER RECORD


MONUMENT: 3/4" IRON ROD
TOWNSHIP: WASHINGTON
PARTY: JU/BJ
DATE: 7-15-2025
COMMENTS:
 HISTORY:
 • 3/4" IRON ROD 2" BELOW GRADE. 1' E OF CL OF 700E; FOUND BY JL/PM ON 6-18-2008.
 • MONUMENT FOUND 0.5' BELOW GRADE BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES


DATUM: NAD83
ZONE: INDIANA WEST 1302 InGCS Starke
NORTHING: 2206970.414 266146.50
EASTING: 3095731.054 838802.83

NOTE:
 COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'22.080"N
LONGITUDE: 86°33'46.502"W



SEC. 17-T33N-R1W



M5

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Ext\TE DWG Files\Washington Twp\M5.dwg Saved By: vberra Plotted: 2025-08-19 8:28 AM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" IRON ROD

TOWNSHIP: WASHINGTON

PARTY: JU/BJ

DATE: 7-15-2025

COMMENTS:

HISTORY:

- 5/8" IRON ROD INSIDE A 3/4" IRON PIPE FOUND BY JL/PM ON 7-16-2007.
- IRON ROD 2" BELOW GRADE; IRON PIPE IS 4" BELOW GRADE. MONUMENT ESTABLISHED BY TERRITORIAL ENGINEERING IN 1983 IN SURVEY #83S131.
- MONUMENT FOUND (5" BELOW GRADE) BY JPR, CORP. IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2206986.192 266141.90

EASTING: 3101036.434 844108.44

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATITUDE: 41°18'21.916"N

LONGITUDE: 86°32'36.987"W



SEC. 16-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 17**

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 16**



RR SPIKE IN S FACE OF PWP

C R 800 EAST

C R 25 NORTH

MAG NAIL IN N FACE OF PWP

ANGLE IRON AT GRADE

29.1'

45.3'

28.3'


**SECTION 17
WASHINGTON TOWNSHIP
STARKE COUNTY**


**SECTION 16
WASHINGTON TOWNSHIP
STARKE COUNTY**




M9

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON PIPE TOWNSHIP: WASHINGTON PARTY: JU/BJ DATE: 07-29-2025 COMMENTS: HISTORY: <ul style="list-style-type: none"> MONUMENT FOUND BY JL/PM ON 11-6-2007. 2" BELOW GRADE; 2.5' S, OF CL OF 25N. IRON PIPE ESTABLISHED BY TERRITORIAL ENGINEERING IN 1983 IN JOB #83S131. MONUMENT FOUND (0.6' BELOW GRADE) BY JPR, CORP. IN 2025. 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: 2207003.128 266148.67 EASTING: 3103684.375 846756.53 NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS. LATITUDE: 41°18'21.919"N LONGITUDE: 86°32'02.291"W	 SEC. 16-T33N-R1W
--	---	--



SECTION 16
 WASHINGTON TOWNSHIP
 STARKE COUNTY





SECTION 16
 WASHINGTON TOWNSHIP
 STARKE COUNTY

M11

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TEDWG Files\Washington Twp\M11.dwg Saved By: vberra Plotted: 2025-08-19 8:38 AM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 5/8" IRON PIPE IN MON BOX TOWNSHIP: WASHINGTON PARTY: JU/BJ DATE: 07-29-2025 COMMENTS: HISTORY: <ul style="list-style-type: none"> MONUMENT FOUND BY JL/PM ON 11-6-2007. 5' S, OF CL OF CR 25N AND 6' E OF CL OF SR 23. MONUMENT BOX UNABLE TO BE OPENED BY JPR, CORP. IN 2025. 	STATE PLANE COORDINATES DATUM: NAD83 ZONE: INDIANA WEST 1302 InGCS Starke NORTHING: EASTING: NOTE: COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS. LATITUDE: LONGITUDE:	
		SEC. 16-T33N-R1W



File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\M13.dwg Saved By: vbera Plotted: 2025-08-19 8:40 AM

STARKE COUNTY SECTION CORNER RECORD

MONUMENT: 1/2" IRON ROD

TOWNSHIP: WASHINGTON

PARTY: JU/BJ

DATE: 7-9-2025

COMMENTS:

HISTORY: BRASS PLATE THAT WAS FOUND IN 1983 WAS REMOVED BY MARSHALL COUNTY IN 1988 LEAVING ONLY THE 1/2" IRON ROD THE PLATE WAS CONNECTED TO. AT THAT TIME THEY INSTALLED THEIR ALUMINUM MONUMENT TO THE NORTH OF THE STARKE COUNTY MONUMENT.

- 1/2" IRON ROD FOUND BY DPS/JL ON 2-7-2008.
- 1/2" IRON ROD FOUND BY JPR IN 2025.

STATE PLANE COORDINATES

DATUM: NAD83

ZONE: INDIANA WEST 1302 InGCS Starke


NORTHING: 2205719.094 264793.38

EASTING: 3122229.996 865297.76

NOTE:
COORDINATES BASED ON INCORS NETWORK FOR GENERAL REFERENCE PURPOSES ONLY AND SHALL NOT BE USED FOR BOUNDARY SURVEY PURPOSES. STARKE COUNTY DOES NOT WARRANT OR GUARANTEE THE ACCURACY OF THIS DATA AND DISCLAIMS ANY RESPONSIBILITY OR LIABILITY FOR INTERPRETATIONS BASED ON USING THIS DATA FOR BOUNDARY DECISIONS.

LATTITUDE: 41°18'08.002"N

LONGITUDE: 86°27'59.418"W



SEC. 13-T33N-R1W

**STARKE COUNTY
WASHINGTON TOWNSHIP
SECTION 13**

**MARSHALL COUNTY
WEST TOWNSHIP
SECTION 18**

**C R 1200 EAST
COUNTY LINE ROAD**



PK NAIL SOUTH
FACE OF
POWER POLE

PK NAIL SW FACE
ROUND POST

DIVISION ROAD

12 TH ROAD

30.94'

39.32'

40.69'

47.70'

1" METAL PIPE
0.5' ABOVE
GRADE

TOP OF ROUND
TELEPHONE PEDESTAL

**SECTION 24
WASHINGTON TOWNSHIP
STARKE COUNTY**

**SECTION 19
WEST TOWNSHIP
MARSHALL COUNTY**



N25

File: J:\Projects\2025 Projects\2025-01493 N Half Washington Twp\02_Survey\Exst\TE DWG Files\Washington Twp\N25.dwg Saved By: vberra Plotted: 2025-08-19 8:50 AM